

PRODUCT PROFILE

ANHYDROUS AMMONIA

LIQUID DENSITY

TEMP °F	#/GAL.	TEMP °F	#/GAL.	TEMP °F	#/GAL.
-28	5.691	48	5.226	78	5.000
-25	5.673	49	5.220	79	5.000
-20	5.644	50	5.213	80	5.010
-15	5.614	51	5.207	81	5.003
-10	5.585	52	5.200	82	4.996
-5	5.555	53	5.193	83	4.988
0	5.526	54	5.186	84	4.981
5	5.495	55	5.180	85	4.974
10	5.466	56	5.173	86	4.967
15	5.435	57	5.166	87	4.960
20	5.404	58	5.160	88	4.953
25	5.374	59	5.153	89	4.946
30	5.342	60	5.146	90	4.939
31	5.335	61	5.140	91	4.931
32	5.329	62	5.133	92	4.924
33	5.323	63	5.126	93	4.917
34	5.317	64	5.120	94	4.910
35	5.310	65	5.113	95	4.902
36	5.304	66	5.106	96	4.895
37	5.298	67	5.100	97	4.888
38	5.291	68	5.093	98	4.880
39	5.285	69	5.086	99	4.873
40	5.279	70	5.080	100	4.866
41	5.272	71	5.073	105	4.828
42	5.265	72	5.066	110	4.791
43	5.259	73	5.059	115	4.752
44	5.252	74	5.052	120	4.713
45	5.245	75	5.045	125	4.673
46	5.239	76	5.038	130	4.633
47	5.232	77	5.031	135	4.592

Rev. 6/01



The information on this Product Profile is based on data obtained by our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or that any such use will not infringe any patent. This information is furnished upon the condition the person receiving it shall make his own tests to determine the suitability thereof for his particular purpose. For latest product specifications, contact our nearest sales office.

Southern Calif. • San Jose, CA • San Diego, CA • Salt Lake City, UT
Phoenix, AZ • Tucson, AZ • Pacific Northwest • International Sales

Hill Brothers Chemical Co.
Corporate Office
1675 North Main St.
Orange, CA 92867-3499
(714) 998-8800
www.hillbrothers.com