

PRODUCT PROFILE

CALCIUM CHLORIDE

PROPERTIES TABLE

SPECIFIC GRAVITY @ 60°F	BAUMÉ @ 60°F (AM. STD.)	% CaCl ₂ ACTUAL	CRYSTALLIZATION STARTS @ °F
1.150	18.9	16.6	+9.7
1.155	19.4	17.0	+8.6
1.160	20.0	17.6	+7.0
1.165	20.5	18.0	+5.9
1.170	21.1	18.6	+4.1
1.175	21.6	19.0	+2.8
1.180	22.1	19.5	+1.2
1.186	22.7	20.0	-0.4
1.190	23.2	20.6	-2.0
1.195	23.7	21.0	-3.9
1.200	24.2	21.5	-5.8
1.206	24.8	22.0	-7.8
1.210	25.2	22.4	-9.4
1.218	25.9	23.0	-11.9
1.220	26.2	23.3	-13.2
1.228	26.9	24.0	-16.2
1.230	27.1	24.2	-17.1
1.239	28.0	25.0	-21.0
1.240	28.1	25.1	-21.5
1.250	29.0	26.0	-25.8
1.260	29.9	27.0	-31.2
1.270	30.8	27.8	-37.8
1.280	31.7	28.7	-44.3
1.283	32.0	29.0	-49.4
1.290	32.6	29.6	-59.8
1.295	33.0	30.0	-50.8
1.300	33.5	30.5	-41.8
1.306	34.0	31.0	-33.2
1.310	34.3	31.3	-29.2
1.317	34.9	32.0	-19.5
1.320	35.1	32.2	-17.0
1.328	35.8	33.0	-6.9
1.330	36.0	33.2	-4.7
1.340	36.8	34.0	+4.3
1.350	37.6	34.9	+14.3
1.351	37.7	35.0	+14.4
1.360	38.4	35.8	+21.7
1.363	38.6	36.0	+24.1
1.370	39.0	36.4	+30.0
1.374	39.5	37.0	+33.4
1.380	39.9	37.4	+37.0
1.386	40.4	38.0	+42.1
1.390	40.7	38.3	+44.4
1.398	41.3	39.0	+49.6
1.400	41.4	39.2	+50.9
1.410	42.2	40.0	+55.9

Rev. 7/01

The information on this Product Profile is based on data obtained by our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or that any such use will not infringe any patent. This information is furnished upon the condition the person receiving it shall make his own tests to determine the suitability thereof for his particular purpose. For latest product specifications, contact our nearest sales office.

Southern Calif. • San Jose, CA • San Diego, CA • Salt Lake City, UT
Phoenix, AZ • Tucson, AZ • Portland, OR • International Sales



Hill Brothers Chemical Co.

Corporate Office
1675 North Main St.
Orange, CA 92867-3499
(714) 998-8800
FAX (714) 998-6310