

251899C

REPORT NUMBER: 971 UNIVAR USA INC.
MSDS NO: GC002000 MATERIAL SAFETY DATA SHEET
MAINFRAME UPLOAD DATE: 07/12/02

PAGE: 001
VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:
PROD NO :

UNIVAR USA INC. (425)889-3400
6100 CARILLON POINT , KIRKLAND , WA 98033

----- EMERGENCY ASSISTANCE -----

FOR EMERGENCY ASSISTANCE INVOLVING CHEMICALS CALL -- CHEMTREC
(800)424-9300

PRODUCT IDENTIFICATION

PRODUCT NAME: SULFURIC ACID
MSDS#: GC002000
DATE ISSUED: 03/26/01
SUPERSEDES: 05/01/90
ISSUED BY: 008025

MATERIAL SAFETY DATA SHEET
Sulfuric Acid

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Sulfuric Acid
OTHER/GENERIC NAMES: Battery acid.
PRODUCT USE: Industrial.
MANUFACTURER:
General Chemical Corp

REPORT NUMBER: 971

UNIVAR USA INC.

PAGE: 002

MSDS NO: GC002000

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 07/12/02

VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

90 East Halsey Rd.
Parsippany, NJ 07054

FOR MORE INFORMATION CALL:

(Monday-Friday, 9:00am-4:30pm) 973-515-1840

IN CASE OF EMERGENCY CALL:

(24 Hours/Day, 7 Days/Week) 800-631-8050

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME/ CAS NUMBER	WEIGHT %	OSHA PEL
Water 7732-18-5	0-51	None
Sulfuric acid 7664-93-9	> 51	1 mg/m3 TWA

Trace impurities and additional material names not listed above may also appear in Section 15 towards the end of the MSDS. These materials may be listed for local "Right-to-Know" compliance and for other reasons.

OSHA Hazard Communication Standard: This product is considered hazardous under the OSHA Hazard Communication Standard.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Oily, colorless to slightly yellow, clear to turbid liquid. Odorless. Causes severe skinburns. Causes severe eye burns. Causes burns of the mouth, throat, and stomach.

POTENTIAL HEALTH HAZARDS:

SKIN: Causes severe burns.

EYES: Liquid contact can cause irritation, corneal burns, and conjunctivitis. May result in severe or permanent injury. May cause blindness.

INHALATION: Inhalation of fumes or acid mist can cause irritation or corrosive burns to the upper respiratory system, including the nose, mouth and throat. May irritate the lungs. May cause pulmonary edema.

INGESTION: Causes burns of the mouth, throat and stomach. May be fatal if swallowed. Hazards are also applicable to dilute solutions.

DELAYED EFFECTS: Erosion of teeth, lesions of the skin, tracheo-bronchitis,

PRODUCT: SULFURIC ACID

ORDER NO:
PROD NO :

mouth inflammation, conjunctivitis and gastritis. IARC and NTP have classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen. This classification is for inorganic acid mists only and does not apply to sulfuric acid or sulfuric acid solutions. The basis for the classifications rests on several epidemiology studies which have several deficiencies. These studies did not account for exposure to other substances, some known to be animal or potential human carcinogens, social influences (smoking or alcohol consumption) and included small numbers of subjects. Based on the overall weight of evidence from all human and chronic animal studies, no definitive causal relationship between sulfuric acid mist exposure and respiratory tract cancer has been shown.

Ingredients found on one of the three OSHA designated carcinogen lists are listed below.

INGREDIENT NAME/ CAS NUMBER	WEIGHT %	NTP STATUS	IARC STATUS	OSHA LIST:
Water	0-51	Not listed	Not listed	Not listed
7732-18-5				
Sulfuric acid	> 51	Known carcinogen	1-Known carcinogen	Not listed
7664-93-9		sulfuric acid mist	Sulfuric acid mist	

4. FIRST AID MEASURES

SKIN: Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing while washing. Get medical attention immediately.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

INGESTION: If swallowed, do NOT induce vomiting. Give victim two glasses of water. Call a physician immediately. Never give anything by mouth to an unconscious person.

ADVICE TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: Not applicable.

FLASH POINT METHOD: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

REPORT NUMBER: 971

UNIVAR USA INC.
MATERIAL SAFETY DATA SHEET

PAGE: 004

MSDS NO: 6C002000

MAINFRAME UPLOAD DATE: 07/12/02

VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

UPPER FLAME LIMIT (volume % in air): Not applicable.

LOWER FLAME LIMIT (volume % in air): Not applicable.

FLAME PROPAGATION RATE (solids): Not applicable.

OSHA FLAMMABILITY CLASS: Not flammable.

EXTINGUISHING MEDIA:

Water spray or fog may be used to knock down corrosive vapor cloud.

Water may be applied to the sides of the containers exposed to flames provided the water does not come in contact with the tank contents.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Flammable and potentially explosive hydrogen gas can be generated inside metal drums and storage tanks. Concentrated sulfuric acid can ignite combustible materials on contact.

SPECIAL FIRE-FIGHTING PRECAUTIONS/INSTRUCTIONS:

Do not use solid water streams near ruptured tanks or spills of sulfuric acid. Acid reacts violently with water and can spatter acid onto personnel. Wear approved positive-pressure self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE: (See Section 8 for recommended personal protective equipment.) Dilute small spills or leaks cautiously with plenty of water. Neutralize residue with sodium bicarbonate or other suitable neutralizing agent. When using carbonates for neutralization, adequate precautions should be taken to minimize hazards from carbon dioxide gas generation. No smoking in spill area. Major spills must be handled by a predetermined plan. Attempt to keep out of sewers.

Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

7. HANDLING AND STORAGE

NORMAL HANDLING:

(See section 8 for recommended personal protective equipment.) Avoid contact with skin, eyes and clothing. Avoid breathing mist. Use appropriate personnel protective equipment. Do not add water to acid. When diluting, always add acid to water cautiously and with agitation. Use with adequate ventilation.

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

STORAGE RECOMMENDATIONS:

Protect from physical damage. Store in a cool, well-ventilated area away from combustibles and reactive chemicals. Keep out of sun and away from heat. Keep containers upright. No smoking in storage area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Sufficient to reduce vapor and acid mists to permissible levels. Packaging and unloading areas and open processing equipment may require mechanical exhaust systems. Corrosion-proof construction recommended. Closed ventilation systems (e.g. vapor hoods) are frequently used in the electronics industry.

PERSONAL PROTECTIVE EQUIPMENT

SKIN PROTECTION: As a minimum, wear acid-resistant, preferably rubber, gloves and apron. Acid resistant boots, trousers and jacket may be used for increased protection.

EYE PROTECTION: Wear chemical safety goggles. Add a full faceshield for pouring liquids. Do not wear contact lenses.

RESPIRATORY PROTECTION: Generally, none required. If misting conditions prevail, wear a NIOSH-approved acid-mist respirator.

ADDITIONAL RECOMMENDATIONS: Provide eyewash stations and quick-drench shower facilities in or near areas of use or handling.

EXPOSURE GUIDELINES

INGREDIENT NAME/

CAS NUMBER	WEIGHT %	ACGIH TLV	OSHA PEL	OTHER LIMIT
Water 7732-18-5	0-51	None	None	None
Sulfuric acid 7664-93-9	> 51	1 mg/m ³ TWA; 3 mg/m ³ STEL	1 mg/m ³ TWA	15 mg/m ³ - IDLH

1 = Limit established by General Chemical Corporation.

2 = Workplace Environmental Exposure Level (AIHA).

3 = Biological Exposure Index (ACGIH).

OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

None.

9. PHYSICAL AND CHEMICAL PROPERTIES

PRODUCT: SULFURIC ACID

ORDER NO:
PROD NO :

APPEARANCE: Colorless to light yellow liquid
PHYSICAL STATE: Liquid
MOLECULAR WEIGHT: 98.08 (H2SO4)
CHEMICAL FORMULA: H2SO4 (various concentrations) in water
ODOR: Odorless
SPECIFIC GRAVITY(water=1): 1.842
SOLUBILITY IN WATER(weight%): 100%
pH: 0.9 (1% solution)
BOILING POINT: approx 310 C (94%)
MELTING POINT: approx -27 C (94%)
VAPOR PRESSURE: < 0.001 mm Hg at 20 C
VAPOR DENSITY (air=1.0): Not applicable.
EVAPORATION RATE: Not applicable. COMPARED TO: Not applicable
VOLATILES: Not applicable.
FLASH POINT: Not applicable.

Flash point method and additional flammability data are found in Section 5.

10. STABILITY AND REACTIVITY

NORMALLY STABLE? (CONDITIONS TO AVOID):

Normally stable. Avoid temperatures greater than 300 C: yields sulfur trioxide gas, which is toxic, corrosive, and an oxidizer.

INCOMPATIBILITIES:

Nitro compounds, carbides, dienes, alcohols (when heated): causes explosions. Oxidizing agents, such as chlorates and permanganates: causes fires and possible explosions. Allyl compounds and aldehydes: undergoes polymerization, possibly violent. Alkalies, amines, water, hydrated salts, carboxylic acid anhydrides, nitriles, olefinic organics, glycols, aqueous acids: causes strong exothermic reactions. Carbonates, cyanides, sulfides, sulfites, metals such as copper: yields toxic gases.

HAZARDOUS DECOMPOSITION PRODUCTS:

Sulfur trioxide gas.

HAZARDOUS POLYMERIZATION:

Will not occur.

11. TOXICOLOGICAL INFORMATION

REPORT NUMBER: 971

UNIVAR USA INC.

PAGE: 007

MSDS NO: 6C002000

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 07/12/02

VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

IMMEDIATE (ACUTE) EFFECTS:

For sulfuric acid:

LD50 (oral-rat): 2140 mg/kg

LC50 (inhl-rat): 510 mg/m³/2 hr

LC50 (inhl-mouse): 320 mg/m³/2 hr

DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS:

IARC and NTP have classified "strong inorganic acid mists containing sulfuric acid" as known human carcinogens. No definitive causal relationship between sulfuric acid mist exposure and respiratory cancer has been shown.

OTHER DATA:

None.

12. ECOLOGICAL INFORMATION

Aquatic toxicity:

24.5 ppm/24 hr./bluegill/lethal/fresh water

42.5 ppm/48 hr./prawn/LC50/salt water

13. DISPOSAL CONSIDERATIONS

RCRA

Is the unused product a RCRA hazardous waste if discarded? Yes

If yes, the RCRA ID number is: D002 (corrosive)

OTHER DISPOSAL CONSIDERATIONS:

Disposal should be made in accordance with federal, state and local regulations.

The information offered in section 13 is for the product as shipped.

Use and/or alterations to the products such as mixing with other

materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: 8

PROPER SHIPPING NAME: Sulfuric acid, 8, UN 1830, PG II

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: Listed on Inventory: YES

OTHER TSCA ISSUES: All components of this product are listed on the TSCA Inventory.

SARA TITLE III/CERCLA:

"Reportable Quantities (RQs) and/or "Threshold Planning Quantities (TPQs) exist for the following ingredients.

INGREDIENT NAME/ CAS NUMBER	WEIGHT %	SARA/CERCLA RQ (1b):	SARA EHS TPQ (1b)
Water 7732-18-5	0-51	None	None
Sulfuric acid 7664-93-9	> 51	1000 lbs	1000 lbs.

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center ((800) 424-8802) and to your Local Emergency Planning Committee.

SECTION 311 HAZARD CLASS: Immediate.

SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME/ CAS NUMBER	WEIGHT %	COMMENT
Water 7732-18-5	0-51	Not listed
Sulfuric acid 7664-93-9	> 51	Listed

STATE RIGHT-TO-KNOW:

The following are listed for state right-to-know purposes.

INGREDIENT NAME/ CAS NUMBER	NJ RIGHT- TO-KNOW	MA RIGHT- TO-KNOW	PA RIGHT- TO-KNOW
Water 7732-18-5	0-51 Not listed	Not listed	Not listed
Sulfuric acid	> 51 Listed	Listed	Listed

REPORT NUMBER: 971

UNIVAR USA INC.

PAGE: 009

MSDS NO: GC002000

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 07/12/02

VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

7664-93-9

ADDITIONAL REGULATORY INFORMATION:

None.

FOREIGN CHEMICAL CONTROL INVENTORY STATUS

Listed on Canadian DSL and EINECS.

16. OTHER INFORMATION

OTHER INFORMATION:

Not Applicable

FOR ADDITIONAL INFORMATION

CONTACT: MSDS COORDINATOR

UNIVAR USA INC.

DURING BUSINESS HOURS, PACIFIC TIME

(425)889-3400

08/19/03 13:17

PRODUCT:

CUST NO:

ORDER NO:

NOTICE

***** UNIVAR USA INC("UNIVAR"), EXPRESSLY DISCLAIMS

ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMATION PROVIDED

HEREIN, AND SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR

CONSEQUENTIAL DAMAGES. **

DO NOT USE INGREDIENT INFORMATION AND/OR PERCENTAGES IN THIS MSDS AS A
PRODUCT SPECIFICATION. FOR PRODUCT SPECIFICATION INFORMATION REFER TO A PRODUCT
SPECIFICATION SHEET AND/OR A CERTIFICATE OF ANALYSIS. THESE CAN BE OBTAINED FROM
YOUR LOCAL UNIVAR SALES OFFICE.

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE

REPORT NUMBER: 971

UNIVAR USA INC.

PAGE: 010

MSDS NO: GC002000

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 07/12/02

VERSION: 003

PRODUCT: SULFURIC ACID

ORDER NO:

PROD NO :

MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, UNIVAR MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND UNIVARS CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON , INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.

* * * E N D O F M S D S * * *