



Safety Data Sheet

1. Product Identifier and Company Identification

Product name : Desert Crete Pool Deck Finish (PDF)
HBCC SDS number : CD01300
Synonym : N/A
Product use and Restrictions : Refer to label or call
Manufacturer : Corporate Headquarters
Contact Address Hill Brothers Chemical Company
1675 North Main Street
Orange, California 92867
714-998-8800
800-821-7234
Emergency telephone Number (Chemtrec) : 800-424-9300
Website : <http://hillbrothers.com>



Corporate Safety & Compliance
Hill Brothers Chemical Company
7121 West Bell Road, Suite 250
Glendale, Arizona 85308
623-535-9955 - Office
623-535-9944 - Fax

2. Hazard Identification

Classification : Acute Toxicity; Oral: Category 4
Acute Toxicity; Inhalation: Category 4
Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Eye Irritation: Category 1
Carcinogenicity: Category 1A

Signal Word : DANGER

Pictogram(s) :



Hazard Statements : H302+H332: Harmful if swallowed or inhaled.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H350: May cause cancer.

Precautionary Statements

Response : P304+P340+P310: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for Several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P301+P330+P331+P312: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.
 P303+P361+P353+P363: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
 P308+P313: If exposed or concerned: Get medical advice/attention.

Prevention : P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P260: Do not breathe dusts or mists.
 P264: Wash hands thoroughly after handling.
 P270: Do not eat, drink, or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves, protective clothing, and eye and face protection.

Storage : P405: Store locked up.

Disposal : P501: Dispose of contents and container in accordance with local, regional, national, and international regulations.

3. Composition/Information on Ingredients

CAS Number	Ingredient Name	Weight %
1317-65-3	Calcium Carbonate	<65%
65997-15-1	Portland Cement	<35%
14808-60-7	Crystalline Silica, Quartz (Respirable)	<1%
Proprietary	VaE Copolymer	<5%

4. First Aid Measures

Summary of First Aid Measures

Ingestion : N/A

Inhalation : Remove victim to fresh air and administer artificial respiration if required. Get medical attention, if needed.

Skin : Flush skin with plenty of water. If rash develops, get medical attention.

Eyes : Immediately flush with plenty of water for at least 15 minutes. Get medical attention, if discomfort persists.

Medical Conditions : Pulmonary function may be reduced by inhalation of respirable crystalline silica. Also lung scarring produced by such inhalation may lead to a progressive massive fibrosis of the lung which may aggravate other pulmonary conditions and diseases and which increases susceptibility to pulmonary tuberculosis. Progressive massive fibrosis may be accompanied by right heart enlargement, heart failure, and pulmonary failure. Smoking aggravates the effects of exposure.

Effects of Overexposure : Crystalline silica can cause silicosis, a progressive and frequently incapacitating pneumoconiosis evident on x-ray and in pulmonary function testing, as well as in subjective respiratory complaints.

Summary of Acute Health Hazards : N/A

Ingestion : May cause temporary irritation to the throat, stomach, and gastrointestinal tract.

Inhalation : This product contains crystalline silica. Long-term overexposure to crystalline silica causes silicosis, a form of pulmonary fibrosis. Continued overexposure to silica can lead to cardiopulmonary impairment.

Skin : Dust or powder may irritate the skin.

Eyes : Dust or powder may irritate eye tissue.
Note to Physicians : N/A

Summary of Chronic Health : N/A

Signs and Symptoms of Exposure : Undue breathlessness, wheezing, cough, and sputum production.

5. Fire Fighting Measures

Extinguishing : N/A

Special Exposure Hazards : N/A

Special Protective : N/A

Fire Fighting Procedures : Be aware of runoff from fire control methods. Do not release material to waterways, as product reacts with water and hardness within 1 to 6 hours.

NFPA Rating : Health - 1
Flammability - 0
Instability - 0



0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Uniform Fire Code Rating : N/A

6. Accidental Release Measures

- Personal Precautions** : Wear protective equipment.
- Emergency Procedures** : N/A
- Methods of Containment And Clean-Up** : Use dustless methods (vacuum) and place into closable container for disposal, or flush with water. Do not dry sweep.

7. Handling and Storage

- Safe Handling** : Wear thick working gloves and safety glasses. Persons not wearing protective equipment as noted in Section 8 should be restricted from areas with spills or dust accumulation.
- Storage** : Use waste containers suitable for transportation. Avoid breakage of bagged material or spills of bulk materials. Keep from freezing, material may coagulate, minimum storage temperature is 34°F, maximum is 120°F.
- Work/Hygienic Practices** : Wash hands thoroughly with soap and water before eating, drinking, smoking or using toilet facilities. Do NOT place food, coffee or other drinks in the area where dusting or splashing of solutions is possible.
- Ventilation** : Local is preferable, but mechanical is acceptable.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits :

Chemical Name: Desert Crete Pool Deck Finish (PDF)				
Exposure Limits (TWAs) in Air				
CAS Number	Chemical Name	ACGIH TLV	OSHA PEL	STEL
1317-65-3	Calcium Carbonate	Inhalable Particulates: 10 mg/m ³ ; Respirable Particulates: 3 mg/m ³	Total Dust: 15 mg/m ³ ; Respirable fraction: 10 mg/m ³	N/A
65997-15-1	Portland Cement	Total Dust: 10 mg/m ³	Total Dust: 15 mg/m ³ ; Respirable Dust: 5 mg/m ³	N/A
14808-60-7	Crystalline Silica, Quartz (Respirable)	Respirable Dust: 0.025mg/m ³	Total Dust: 10.7 mg/m ³ ; Respirable Dust: 0.1mg/m ³	N/A
Proprietary	Copolymer of vinyl acetate	N/A	N/A	N/A

- Protective Equipment** : Protective gloves are advisable.
- Eye Protection** : Goggles or a face shield should be used
- Respiratory** : Respiratory protection for crystalline silica minimum respiratory protection Particulate Concentration:
5 x PEL or less: Any dust respirator.
10 x PEL or less: Any dust respirator, except single-use or quarter-mask respirator. OR Any dust respirator, except single-use or quarter-mask respirator. OR Any supplied-air respirator. OR Any self-contained breathing apparatus.
50 x PEL of less: A high efficiency particulate filter respirator with a full facepiece. OR Any supplied-air respirator with a full facepiece, helmet, or hood. OR Any self-contained breathing apparatus with a full facepiece.
500 x PEL or less: A powered air-purifying respirator with a high efficiency particulate filter. OR A Type C supplied- air respirator operated in pressure demand or other positive pressure or continuous-flow mode.
Greater than 500 x PEL or entry and escape from unknown concentrations: Self-contained breathing apparatus with a full facepiece operated in pressure-demand or other positive pressure mode. OR A combination respirator which includes a Type C supplied-air respirator with a full facepiece operated in pressure-demand or other positive pressure continuous-flow mode and an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive pressure mode.
Abrasive Blasting: Any Type CE, supplied-air respirator with a full facepiece, hood, or helmet, operated in a positive-pressure mode. Only NIOSH-approved or MSHA-approved equipment should be used.

9. Physical and Chemical Properties

Appearance: Solid white powder	Odor: N/A
Odor Threshold: N/A	pH: 12-13 (in water)
Melting Point/Freezing Point: N/A	Initial Boiling Point/Range: N/A
Flash Point: N/A	Evaporation Rate (BuAc=1): N/A
Flammability: N/A	Lower/Upper Explosive Limit: N/A
Vapor Pressure (mmHg): N/A	Vapor Density (Air=1): N/A
Weight/Gallon (lb.): N/A	Solubility in Water: Minimal
Decomposition Temperature: N/A	Density at 25° C (77° F): N/A
% Volatiles: N/A	Loose Bulk Density: N/A
Molecular Weight: N/A	VOC: N/A
Specific Gravity (Water=1): 2.54	---

10. Stability and Reactivity

- Reactivity** : N/A
- Chemical Stability** : Stable
- Possibility of Hazardous Reactions or Polymerizations** : Hazardous polymerization will not occur
- Conditions to Avoid** : Water will harden mixture. Contact with water will result in hydration and produces (caustic) calcium hydroxide.
- Incompatible Materials** : Acids, ammonium salts and aluminum metal. Calcium Carbonate ignites on contact with fluorine.
- Hazardous Decomposition Products** : Thermal oxidative decomposition of calcium carbonate can produce calcium oxide.

11. Toxicological Information

- Acute and Chronic Effects** : Overexposure to calcium carbonate may result in irritation to eyes, skin and respiratory system. Acute ingestion may result in mild gastrointestinal distress while chronic exposure may result in hypercalcemia, alkalosis and renal impairment. Animal studies suggest that inhalation of calcium carbonate dusts may enhance susceptibility to respiratory infection.

Routes of Exposure

- Inhalation** : Yes
- Ingestion** : Yes
- Skin** : Yes
- Eyes** : Yes

- Symptoms related to Physical, Chemical & Toxicological Characteristics** : N/A

- Numerical Measures of Toxicity** : N/A

- Chronic Toxicity** : N/A

- Carcinogenicity** :

Product Name: Desert Crete Pool Deck Finish (PDF)					
ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Yes	No	No	Yes	No	Yes

- TARGET ORGANS** : N/A

12. Ecological Information

Ecotoxicity : N/A

Persistence and Degradability : N/A

Bioaccumulative Potential : N/A

Product/Ingredient	Log _{Pow}	BCF	Potential
-	-	-	-

Mobility in Soil : N/A

13. Disposal Considerations

Disposal of Container : Disposal must be done in accordance with Local, State, and Federal regulations.

14. Transport Information

This product is not regulated under DOT as a hazardous material, substance or dangerous good.

15. Regulatory Information

SARA 302 Extremely Hazardous Substances (EHS) : No chemical in this product is listed as an Extremely Hazardous Substance (EHS) under Section 302 of EPCRA.

SARA 304 Extremely Hazardous Substances (EHS) Release Notification : No chemical in this product is listed as an Extremely Hazardous Substance (EHS) which, if released to the environment in quantities at or above the substance's Reportable Quantity (RQ), would require reporting to the SERC and LEPC under Section 304 of EPCRA.

SARA 311/312 Hazards :

SARA 311/312 Hazards				
Acute	Chronic	Flammability	Pressure	Reactivity
No	Yes	No	No	No

SARA 313 Reportable Chemicals : No chemical in this product is subject to annual emissions, transfers, or waste management reporting under the Community-Right-to-Know provisions of EPCRA Section 313, also known as the Toxic Release Inventory (TRI) Report or Form R.

CERCLA Hazardous Substances : No chemical in this product is listed as a CERCLA hazardous substance subject to the National Response Center (NRC) release reporting requirements.

Clean Air Act (CAA) Section 112(r) Air Pollutants : No chemical in this product is listed as an air pollutant under the U.S. Clean Air Act, Section 112(r) (40 CFR 61).

California Prop 65 Chemicals : **WARNING:** This product contains the following chemical(s) listed under California Proposition 65, which are chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
Crystalline Silica, respirable, CAS #14808-60-7

Hazard Label Warning : This product does not require hazard label warnings.

TSCA (Toxic Substances Control Act) : All chemical substances in this product are listed on the U.S. TSCA Inventory List.

ACRONYMS:

CAS # – Chemical Abstract Services Registry Number

CFR – Code of Federal Regulations

CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act

EPCRA – Emergency Planning and Community Right-to-Know Act

LEPC – Local Emergency Planning Committee

SERC – State Emergency Response Commission

16. Other Information

Revision date : 05/29/2015
Supersedes : 10/10/2008
First Issue : 08/09/1994
Chemical Family/Type : Silica, Quartz, Portland Cement Mixture
Section(s) changed since last revision : MSDS to First Issue SDS Conversion

IMPORTANT! Read this SDS before use or disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This SDS has been prepared in accordance with the Globally Harmonized System of Chemical and Labeling of Chemicals (GHS) Fifth Edition and the OSHA Hazard Communication Standard [29 CFR 1910.1200]. The SDS information is based on sources believed to be reliable. Available data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control; **Hill Brothers Chemical Company** makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Additional information may be necessary or helpful for specific conditions and circumstances of use. It is the user's responsibility to determine the suitability of this product and to evaluate risks and exercise appropriate precautions for protection of employees and others prior to use.